

For Earth, For Life

GZD

KUBOTA ZERO-TURN DIESEL GARDEN MOWER

A hybrid zero-turn mower that combines ultra-manoeuvrability with ultra-efficient, Two-Blade Glide Cut rear discharge for higher productivity.



We combined the best of both worlds to create a zero-turn mower that delivers incredible Efficiency, Endurance, and Ergonomics.

KUBOTA ZERO-TURN DIESEL GARDEN MOWER

The ultra-manoeuvrability of our zero-turn mower. The ultraefficient operation of our rear-discharging, Two-Blade, Glide Cut mower. We combined these two essential features with a long list of others to create an economical, high-performance zero-turn mower — the hybrid Kubota GZD15. And with its ability to deliver a high level of efficiency, endurance, and ergonomics, it's no wonder the GZD15 has become the most popular choice of both professionals and non-professionals alike.

Efficiency

GZD15

77. B

Enduring

۲

A collected designation

Ergonomic

The GZD15 zero-turn mower. Lets you

Efficiency Impressive results quickly and economically.

The Glide Cut Rear-Discharge System

Unlike other sidedischarging collecting mowers that use a powerdraining turbine, by employing Kubota's unique Glide Cut System, our GZD15 smartly utilises its two blades to cut, and then channel directly into the integrated rear grass catcher.

The Zero-Turn System

For incredibly nimble navigation, especially in and around flowerbeds, trees, and hedges, the Zero-Turn System provides the GZD15 with an easy-to-operate, dual-levered steering that has a 360-degree turning radius.





High Traveling Speed

With a top travel speed of 13.5 km/h, you'll cruise from job to job faster. And thanks to the GZD15 zero-turn mower's high cutting performance and fuelefficient 11.2 kW diesel engine, you can finish your day's job faster than ever.

Mower Lifting Height

By utilising a pedal-operated hydraulic lift, the mid-mount mower can be quickly raised up to 135 mm to provide higher ground clearance, and lowered just as easily.





Large Volume Grass Collector

You'll spend less time dumping grass and more time cutting it with our generously-sized, 400-litre grass collector.

Parallel-Link Grass Collector Lifting System

With the high dump (HD) model, its convenient, hydraulic Parallel-Link System moves the grass collector vertically, allowing consistent, no-spill dumping at variable heights (0.9 m~1.8 m). Adjusting the system downward permits unloading under trees or other obstacles, while adjusting it upward to its maximum height of 1.8 m lets you unload into truck beds.

finish the day's job faster so you can be





Quick Clean System

Our Quick Clean System raises productivity by making it easy to clear even wet grass without leaving the driver's seat. Simply use the lever to simply clear a path to the grass collector.





To clean the rear of the duct

Deck cleaning pipe for connecting water hose

Kubota Diesel Engine

Amazingly rugged and dependable, the GZD15 zero-turn mower's fuelefficient, 2-cylinder diesel engine lets you run longer with less fuel. Plus, the engine's 15-horsepower rating gives it the brawn to run smoothly for extended periods—while handling even tough jobs.



Large Capacity Fuel Tank

Requiring less down time for refueling, our large-volume, 19-litre fuel tank will keep you operating longer. Combine this with our fuel-efficient, high-torque diesel engine, and you've got the makings for a healthier bottom-line profit.

Deep Profile Mower Deck

Equipped with a deep mower deck (123.4 mm inner), the GZD15 zero-turn mower cuts faster – in fact, even tall, thick, or wet grass is no challenge.

Compact and Low Cost

The GZD15's compact and lightweight design makes it one of the easiest mowers to transport. And, loaded with cost-efficient features, it's sure to increase your profit by keeping overheads down.

more productive.

Endurance

Keeps costs low with rugged, trouble-free operation.

Shaft-Drive Mower

When it comes to drives, nothing is more enduring than shaft. That's why when we created the mid-mount mowing unit of our GZD15 zero-turn mower, we made sure it would be powered by an amazingly reliable and



Shaft-Drive Transmission

We didn't stop at just a shaft-drive mower either-for a smoother, quieter, maintenance-free final drive, you can also depend on Kubota's highvolume, shaft-driven HST transmission. Power is transmitted directly from the engine to the HST via a shaft, and from the HST to the tyres by means of a gear train.

Wet Disc Clutch & Brakes

Our incomparable wet-type, multidisc clutch is so durable, it'll outlast most others. While our wet-type, incredible stopping power for safer



Ergonomics

Smooth and comfortable operation for less fatigue.

Independent Steering Levers

Its independent left and right steering levers operate with a light touch to provide the GZD15 zero-turn mower with amazing nimbleness–including a 360-degree turning radius.

Pedal-Type Brakes

For increased safety, the GZD15's brake pedal enables quick, emergency stopping from just a light touch, to a parking brake by depressing it fully downward.





Cutting Adjustment Dial

Cutting height can be quickly adjusted by simply twisting the height adjustment dial, which is located within easy reach of the operator's seat. Fine adjustments (1/4-inch increments between 1.0 to 4.0 inches, and 1/2inch increments between 4.0 to 5.0 inches) are also possible.



Low Centre of Gravity With a bulldog-like stance and a low sitting position, the GZD15's low centre of gravity enhances stability.



Specifications

Model			GZD15-HD
Engine	Model		Kubota Z602
	Fuel type		Diesel Liquid-cooled (2 cyl.)
	Displacement	cm³/cu. in.	599 (36.5)
	Engine gross power*	kW/HP	11.2 (15)
	Fuel capacity	l	19
	Battery	V	12 (330 CCA)
	Alternator	Amps	15
Tractor	Mower position		Mid-Mount
	Front axle pivot		Standard
	Туре		4Wheels-2WD
	Tyre size Front/Rear		15×6.0-6/20.0×10-8
	Tread Front	mm	815
	Rear	mm	950/850 2 positions
	Wheel base	mm	1285
	Overall Length	mm	2820
	Overall Width	mm	1210
	Overall Height	mm	1930
	Weight (w/mower & GC, w/o fuel)	kg	600
Drive Train	Speed Front/Rear	km/h	0-13.5/0-10
	T/M drive system		Shaft drive
	Mower drive system		Shaft drive
	Drive system		2-HST
	Steering style		2-Hand Levers
	Parking brake		Wet multi-discs, Mechanical equalising brake system
	Turning radius	m	0
РТО	PTO clutch		Hydraulic Wet Multi Discs
	PTO brake		Hydraulic Wet Single Disc
Mower	Cutting width	cm	1067
	Lift system		Hydraulic
	Mount system		Parallel Linkage
	Blade drive system		Hex belt, gear
	Cutting height	mm	25–102 (6), 102–127 (13)
	Cutting height adj.		Dial
	Max. Mower lift height	mm	135
	No. of blades		2
Grass Collector	Туре		High dump/Hydraulic
	Capacity	l	400
	Lift height (MAX)	m (ft)	1.8 (5.9)

* Manufacturer's estimate

The company reserves the right to change the above specifications without notice. This brochure is for descriptive purpose only. Please contact your local Kubota dealer for warranty information.



©2017 Kubota Corporation

Kubota

KUBOTA Tractor Australia Pty Ltd

25-29 Permas Way, TRUGANINA Vic, 3029 Freecall: 1800-334-653 Email: sales@kubota.com.au

Web Site: http://www.kubota.com.au

CB Norwood Distributors Ltd

PO Box 1265, 888 Tremaine Avenue, Palmerston North 0800 KUBOTA Tel: 06 356 4920 Fax: 06 356 4939

Web Site: http://www.kubota.co.nz