



KUBOTA ZERO-TURN MOWER

Z

Z200/Z300 Series

Kubota's expanded lineup of compact and full size zero-turn mowers deliver the versatility and professional performance to take on any task.











Z200 Z300 SERIES

With its expanded range of diesel and gasoline mowers to choose from, Kubota's high-performance Z-Series will meet any mowing challenge.

Kubota's versatile and high-performance lineup of zero-turn mowers features full-size and compact models, and is available with diesel or gasoline engines. These models boast a high-capacity HST, the deepest mower deck in the industry, and more. Plus, with the introduction of the rear discharge models, the expanded Z-Series will take on any job and cut it down to size.

KUBOTA ENGINE The Z-Series mowers feature ranging in size from 21 to 3

KUBOTA GASOLINE ENGINE



The V-Twin Kubota gasoline engine delivers durability and productivity like no other. Available in 22HP or 27HP, this reliable, air-cooled engine offers outstanding performance and guiet operation. Specifically designed for mowing, it features Kubota's clean-flow structure, which virtually eliminates the likelihood of grass clippings clogging the wide cooling air passages. Plus, with its removable engine cover for easy access and a unique carburetor drain cock that simplifies seasonal storage, maintenance is simple and hassle-free.



Clean-flow Structure



Carburetor Drain Cock *When in use, consult operator manual and handle with care.



Removable Engine Cover



e Kubota's original gasoline and diesel engines, 1 horsepower. Choose the one that's right for you.

KUBOTA DIESEL ENGINE



Kubota diesel engines are known for their durability, high performance, energy efficiency and reliability. Their fuel efficiency, high torque, quiet operation and reduced emissions help you take on heavy mowing jobs for extended periods. And, whether it's our 21, 23, 26, or 31-horsepower engine, it will exceed even the highest expectations of commercial landscapers.

Dual-Element Air Cleaner

Kubota ZD-Series mowers come equipped with a dual-element air cleaner which features a vacuum sensor that ndicates when to service the air cleaner.

Large Fuel Tank

Kubota has increased the fuel capacity for all 300 Series models to 12.9 gallons by including two fuel tanks. This allows the operator to work longer and more efficiently without stopping to refuel. This feature is especially handy for those big

Large Radiator

The radiator on the ZD-Series mower is built to improve cooling performance, allowing peak performance on even the hottest days.







For superior durability, we incorporated an integral-type, twin-hydrostatic transmission. Except for an occasional fluid change, its hermetically-sealed structure requires no maintenance—not even a belt change.



							U
		Compact Models Z200 SERIES			Full-Size Models Z300 SERIES		
Model		ZG222	ZG227	ZD221	ZG327	ZD326	ZD331
Gasoline Engine		•	•	-	•	-	-
Diesel Engine		-	-	•	-	•	•
Pro Commercial Mower Deck	48 in.	•	-	-	-	-	-
	54 in.	_			_	-	-
	60 in.	-	-	-			
	72 in.	-	-	-	-	-	
Semi-Pneumatic Front Caster Tires		-	_	_	•	•	•
Maintenance Lift		Opt.	Opt.	Opt.	Opt.	•	•

ZEOO [COMPACT MODELS] SERIES

The Z200 Series provides the convenience and versatility an abundance of professional performance and power.



Z200 Series Main Features

Pedal-type Lift System

Elevate the mower deck and roll right over obstacles. The Z200 Series includes a hydraulic lift system that raises the deck with the simple push of a pedal. And, if necessary, a special onetouch lock allows you to keep the deck in place.



Comfortable Seat

To make mowing tasks more comfortable, we've included a cushioned seat with sturdy, padded armrests. The adjustable seat also features an attached seatbelt for your protection.



of a compact mower with





For easy access to the upper mower, mower belts and universal joint, the Z200 Series features a convenient maintenance hatch built into the operator's platform.

Cup Holder

FI Th stu

- Flexible Cover

The Z200 Series employs a flexible-yetsturdy discharge cover to help prevent damage to shrubs and landscaping.

Instrument Panel

With the user-friendly instrument panel, Kubota keeps essential controls and indicators close for easy access and viewing. They're all here—warning indicator, fuel gauge and more.

The ZD221 compact mower features a reliable 21HP diesel engine and the versatility to take on mowing jobs big and small.



Z200 Series Main Features

Easy Maintenance

Maintenance doesn't get any easier. The seat panel lifts up for quick access to the HST, the hood opens for routine maintenance (adding oil, etc.), an operator platform hatch makes upper mower access a snap—and all three can be opened at once. Plus, Kubota's optional

tilt-up lift feature is also available for routine maintenance underneath the mower.





[FULL-SIZE MODELS] SERIES

Kubota's rugged ZG327 gasoline-engine mower is equipped to easily tackle the toughest mowing jobs.



- 27HP Kubota gasoline engine
- 6.5"-deep, 60"-wide mower deck
- Semi-pneumatic (flat-free) front caster tires
- High-performance HST transmission
- Full-flat operator platform
- High-back deluxe suspension seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift (optional)

Z300 Series Main Features

High-back Deluxe Suspension Seat

When you're mowing all day long, comfort is a necessity. And Kubota's standard deluxe link-type suspension seat takes

comfort to a whole new level. The extrawide seat features adjustable armrests, lumbar support, weight adjustment, and much more, to give the operator a custom fit.








The highly reliable ZD300 diesel-engine mowers deliver the performance you need, and the comfort you desire.





- 6.5"-deep, 60"-wide mower deck
- Adjustable front axle (oscillating/rigid)
- Semi-pneumatic (flat-free) front caster tires
- High-performance HST transmission
- Full-flat operator platform
- High-back deluxe suspension seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift

Z300 Series Main Features

Adjustable Front Axle* (Oscillating/Rigid)

The ZD300 Series features an adjustable front axle that can be switched from oscillating to rigid by using two pins. The oscillating front axle provides a smooth ride, while a rigid front axle helps deliver an even cut while mowing rough terrain.

*Rigid on ZG327





Semi-Pneumatic (Flat-Free) Front Caster Tires
Standard with ZG327/ZD331P/ZD326P models

the power and torque you demand,



Hands-free Parking Brake/ Deck Lift Pedals

With the Z300 Series, the foot operated parking brake can easily be set while maintaining control with both hands. And, thanks to the 2-pedal hydraulic deck lift system, you can easily raise and lower the deck to keep mowing in spite of obstacles. All three pedals are placed directly in front of you on the angled footboard for easy access.





Adjustable Speed Control Levers

Kubota's heavy-duty ZD331LP diesel mower makes even the most difficult mowing tasks look easy.



Z300 Series Main Features

Mower Access

The Z300 Series features a special maintenance hatch, with a built-in storage

pocket, on the full-flat operator platform. It allows easy access to the upper mower, mower belt, gearbox case and universal joint.





Shaft Drive



1/4" Increment Cutting Height Adjustment

Z200/Z300 [ALL MODELS] SERIES

OPTIONAL ATTACHMENTS

Kubota produces a superior mulch.

ADVANCED MULCHING SYSTEM

The deep mower deck of the Kubota Z-Series is perfect for mulching, even in thick grass. A Kubota original baffle has been added to the closed-system design to optimize airflow and facilitate repeated cutting. The mulching blades are designed to provide an extra-fine cut, leaving a beautiful finish.

MULCHING BLADES

Forged from high-quality steel, our Z-Series mulching blades are incredibly durable and hold their edges longer.



"CATCH ALL"

HOPPER STYLE GRASS CATCHER (GCK60H-300Z for Z300 w / 60" Mower / GCK72H-300Z for ZD331LP-72)

With a large capacity of 12 bushels, the hopper is easy to remove and allows the operator to dump the mowed grass while seated.



Catch ALL

"CATCH ALL"
2-BAG STYLE
GRASS CATHCER
(GCK60-331ZA/
GCK54-200Z*)

The large capacity cathcer allows the operator to mow longer over a larger area without stopping as often

to empty clippings. For the quick removal of grass clippings, the lid is simply unlocked and the bag slides out.

KUBOTA

*Requires blower/frame kit.

Work lights, front blade, and striping kit are available for selected models. See dealer for details.

Maintenance Lift*

Kubota's innovative two-pin, tilt-up, lift feature allows the front of the Z300 Series to be easily raised without having to remove the mid-mount mower, making routine maintenance underneath the mower quick and simple.

It's like having a builtin jack right there when you need it.

*Stand type maintenance lift kit is optional on ZG327.






Full-Flat Operator Platform

Z200SERIES

Model				ZG222	ZG227	ZD221		
				ZG222-48	ZG227-54	ZD221-54		
Engine Model				Kubota KGZ770-E2-M3	Kubota KGZ770-E2-M2	Kubota D782-E3-ZD-1		
Туре			Gasoline, air-cooled V-Twin wi	Diesel, liquid-cooled (3 cyl.)				
	Max. horsepo	wer (Gross)		22HP@3600 rpm	27HP@3600 rpm	21HP@3200 rpm		
Total displacement		, ,	СС	768		778		
	Starting system		Key s	Key switch - super glow				
Dimensions	Overall length		mm	2093		2130		
	Overall width (w/ mower)		mm	1552	10			
		(w/o mower)	mm	1210				
	Overall height	(w/ ROPS upright)	mm	1775				
		(w/ ROPS folded)	mm	1320				
Wheel base	Wheel base			1295				
Tread	Tread Front		mm	860				
	Rear		mm	930				
Tire size	Front			13 × 5.0-6 Pneumatic				
Rear				23 × 10.5-12				
Weight (w/ mower) (without fuel)		kg	534	544	555			
Transmission				2-HST w/ Gear reduction				
Speed control			km/h	2-hand levers				
Travel speed range Forward Reverse			0-14.5 0-8.0					
	TIOVOIGO INTIVIT			0-8.0 Wet multi disks, foot applied, released				
Brake type PTO Type				Shaft drive				
PTO Type Clutch type				Hydraulic independent PTO clutch with wet multi disks				
	PTO brake			Wet single disk				
Mower deck				RCK48P-222Z	RCK54P-227Z	RCK54P-227Z		
Mower lift system				Hydraulic				
	Mower deck type			Pro commercial-Fabricated deck				
Deck depth mm		mm	152					
	Belt type			Multi-Belt				
	Deck steel this	ckness	mm	4.2 / 4.6				
	Anti-scalp roller			Rigid				
	Cutting width of mower			48 in.	54	in.		
	Number of blades			3 blades				
	Cutting height			1 in. ~ 5 in. / 1/4 in. increments				
Mounting syst		unting system of mower		Quick joint, parallel linkage				
Blade tip speed (max.)				17000 FPM Key stop				
Engine stop system								
Fuel tank capacity ltrs.			Itrs.	28	23			
Battery				U1L9 (12 V, RC: 30 mir	51R (12 V , 70 min., CCA: 450A)			
Alternator capacity				13.4 Amps	14 Amps at 14 Volts			
Water temperature indicator					Standard			
Hour meter				Standard				
Fuel gauge				Electric				

Z300SERIES

ZG327	ZD326		ZD331				
ZG327P-60	ZD326P-60	ZD331P-60	ZD331LP-72				
Kubota KGZ770-E2-M1	Kubota D1005-E3-ZD	Kubota D	Kubota D1005-E3-ZD-2				
Gasoline, air-cooled V-Twin with heavy-duty canister air filter	Diesel, liquid-cooled (3 cyl.)						
27HP@3600 rpm	26HP@3200rpm		31HP@3000rpm				
768	1001 1261						
Key switch	Key switch - super glow						
2230		2220	2335				
191	1	1604	2224				
		1460					
		1915					
		1555					
	1410		1520				
	975		1070				
		1150					
		6.0-6 Non-Flat					
		3 × 12.0-12					
668	771	778	803				
2-HST w/ Gear reduction		2-HST w/ Gear					
	2-	hand lever					
		0-17.0					
	***	0-8.5					
		s, foot applied, released					
		haft drive					
		PTO clutch with wet multi disks					
DOMOOD 0077		t single disk	DOV. 20D 004.2				
RCK60P-327Z	RCK60P-331Z	RCK60P-331Z	RCK72P-331Z				
		Hydraulic cial-Fabricated deck					
	Pro commen	165					
		Multi-Belt 4.6, 4.2					
Rigid		Swivel					
riigid	60 in.	Gwivei	72 in.				
		3 blades	72 11.				
1 in. ~ 5 in. / 1/4 in. increments Quick joint, parallel linkage							
18100 FPM 18200 FPM							
Key stop							
		49					
U1L9 (12 V, RC: 30 min., CCA: 285, CA: 340)	51R (12 V, 70 min., CCA: 450A)						
13.4 Amps at 12 Volts	14 Amps at 14 Volts						
- -	Standard						
Standard							
		Electric					





KUBOTA Tractor Australia Pty Ltd

25-29 Permas Way, TRUGANINA Vic, 3029 Freecall: 1800 334 653 Email: sales@kubota.com.au

Web Site: http://www.kubota.com.au

CB Norwood Distributors Ltd

PO Box 1265, 888 Tremaine Avenue, Palmerston North 0800 KUBOTA Tel: 06 356 4920 Fax: 06 356 4939

Web Site: http://www.kubota.co.nz