The LDV T60 UTE



LDV is a division of SAIC, which is a Fortune Global 500 company and the 36th largest company in the world¹. SAIC sold over 6.9 million vehicles in 2018 and has formed joint ventures with Volkswagen and General Motors. In 2009 SAIC acquired the commercial vehicles division of British Motor Corporation which included LDV.



LDV T60 UTE 4WD DIESEL	T60 Pro T6			Luxe T60 Mega Tub		ega Tub	LDV T60 UTE 4WD DIESEL	T60	Pro	T60 Luxe		T60 Mega Tul	
TRANSMISSION	Manual	Auto	Manual	Auto	Manual	Auto	TRANSMISSION	Manual	Auto	Manual	Auto	Manual	Auto
Engine							Overall Length (mm)	5365	5365	5365	5365	5680	5680
Туре					ble Geometry ntercooler		Overall Height (Including Roof Rails) (mm)	1840	1840	1840	1840	1850	1850
Maximum Power (kW)	110 @ 3400 rpm				Overall Width (Exterior Mirrors extended) (mm)	2145	2145	2145	2145	2145	2145		
Maximum Torque (Nm)	360 @ 1600-2800 rpm					Overall Width (Exterior							
Displacement (cc)			2776			Mirrors folded) (mm)	1900	1900	1900	1900	1900	1900	
Transmission			6 Sp	eed	-	-	Rear Overhang (mm)	1268	1268	1268	1268	1268	1268
Compression Ratio	17:1	17:1	17:1	17:1	17:1	17:1	Ramp Breakover Angle (degrees)	21.3°	21.3°	21.3°	21.3°	21.3°	21.3°
No. of Valves	16	16	16	16	16	16	Turning Circle (kerb to						
No. of Cylinders	4	4	4	4	4	4	kerb) (m)	12.6	12.6	12.6	12.6	12.6	12.6
Bore x Stroke (mm)	94x100	94x100	94x100	94x100	94x100	94x100	Wading Depth (mm)	550	550	550	550	550	550
Ratios	6-speed Manual	6-speed Auto	6-speed Manual	6-speed Auto	6-speed Manual	6-speed Auto	Wheelbase (mm) Tub Box Width – Pick-Up	3155	3155	3155	3155	3470	3470
1st	4.371	4.065	4.371	4.065	4.371	4.065	Box (mm) without tub liner	1510	1510	1510	1510	1510	1510
2nd	2.27	2.371	2.27	2.371	2.27	2.371	Tub Box Width of Rear Opening (mm) without	1430	1430	1430	1430	1430	1430
3rd	1.443	1.551	1.443	1.551	1.443	1.551	tub liner	1130	. 430	1730	1,430	. 150	1730
4th	1	1.157	1	1.157	1	1.157	Tub Height – at Centreline of Axle (mm) without tub	530	530	530	530	530	530
5th	0.817	0.853	0.817	0.853	0.817	0.853	liner						
6th	0.679	0.674	0.679	0.674	0.679	0.674	Tub Length – at Floor (mm) without tub liner	1485	1485	1485	1485	1760	1760
Reverse	4.253	3.2	4.253	3.2	4.253	3.2	Tub Length – Top of Box	1525	5 1525	1525	1525	1800	1800
Final Drive	3.818	3.636	3.818	3.636	3.818	3.636	(mm) without tub liner Tub Width – Between						
Low Range	2.48	2.48	2.48	2.48	2.48	2.48	Wheelarches (mm) without tub liner	1131	1131	1131	1131	1131	1131
Steering, Suspension	and Bra	kes	1				2nd Row Headroom (mm)	980	980	980	980	980	980
Steering – Rack and Pinion Hydraulic Power Assisted	1	1	1	1	1	1	2nd Row Legroom (mm)	958	958	958	958	958	958
Front Suspension – Double-Wishbone	1	1	1	1	1	1	2nd Row Shoulder Room (mm)	1463	1463	1463	1463	1463	1463
Rear Suspension –	/	,	_	_		_	Front Headroom (mm)	1010	1010	1010	1010	1010	1010
Heavy Duty Leaf-Spring		/	_	_	-		Front Legroom (mm)	1053	1053	1053	1053	1053	1053
Rear Suspension – Leaf-Spring	-	-	1	/	/	1	Front Shoulder Room (mm)	1483	1483	1483	1483	1483	1483
Brakes – Front, disc	1	√	1	1	1	✓	Axle Load Capacity –						
Brakes – Rear, disc	/	√	✓	✓	√	✓	Front (kg)	1220	1220	1190	1220	1190	1220
17" x 7J Alloy Wheels with All		Alloy \	x 7.5J Wheels 255/55	Axle Load Capacity – Rear (kg)	1830	1830	1760	1730	1760	1730			
Spare Wheel						Tyres x 7.5J	Gross Combined Vehicle Mass (kg)	6050	6050	5950	5950	5950	5950
	17"		/ Wheel v R17 Tyre	vith	Alloy Te	mporary 245/65	Gross Vehicle Mass (kg)	3050	3050	2950	2950	2950	2950
		243/03	K17 Tyre			Tyres	Kerb Weight (kg)	1950	1980	1995	2060	1995	2060
Fuel and Emissions	al and Emissions					Payload (kg) ³	1025	995	875	815	875	815	
Fuel Tank (Litres)			7	' 5			Towing Capacity – Braked (kg)	3000	3000	3000	3000	3000	3000
Combined Fuel Consumption, L/100km ²	8.8	9.6	8.8	9.6	8.8	9.6	Towing Capacity – Unbraked (kg)	750	750	750	750	750	750
Carbon Dioxide Emmissions (g/km)	233	254	233	254	233	254	Safety, Security and D	river As	sistand	e	Ι		
Emissions Standard	nissions Standard Euro 5					5 Star ANCAP Safety Rating	1	✓	1	1	1	✓	
Capacities, Dimension	s and W	/eights	ı			1	1 Remote Key and 1 Normal Key	1	/	_	-	-	-
Approach Angle (unladen, degrees)	27	27	27	27	27	27	2 Smart Keys	-	-	1	1	1	✓
Departure Angle (unladen, degrees)	24.2	24.2	24.2	24.2	24.2	24.2	Airbags (6) – Driver and front passenger airbags (2), side bags (2), full	/	/	1	1	1	/
Front Overhang (mm)	942	942	942	942	942	942	length curtain bags (2)						
Front Track/Rear Track (mm)			1580	/1580			Seat Belts Front Dual Pretensioning	1	/	1	1	1	/
Ground Clearance (unladen) (mm)	215	215	215	215	215	215	Child Anchoring – ISOFIX + Top Tether (2)	1	1	1	1	1	✓
					,		Daytime Running Lights – LED	1	/	1	1	/	/

LDV T60 UTE 4WD DIESEL	T60	Pro	T60	T60 Luxe		ga Tub	LDV T60 UTE 4WD DIESEL		
TRANSMISSION	Manual	Auto	Manual	Auto	Manual	Auto	TRANSMISSION		
Adaptive Front-Lighting System (AFS)	1	1	1	1	1	1	Air Conditioning – Climate Control		
Blind Spot Monitor ⁴	1	/	1	1	/	1	Cruise Control		
Fatigue Reminder and Attention Assist ⁴	1	1	1	1	1	1	Rear View Mirror – Auto Dimming		
Anti-Lock Braking System (ABS)	1	1	1	1	1	1	Rear View Mirror – Manual Dimming		
Electronic Brake Assist (EBA)	1	1	1	1	1	1	Multifunction Steering Wheel		
Electronic Brake-force Distribution (EBD)	1	1	1	1	1	1	Leather Bound Multi- function Steering Wheel ⁶		
Electronic Stability Program (ESP)	1	1	1	1	1	1	Seating		
Hill Descent Control (HDC)	1	/	1	1	1	1	5 Seats		
Hill-Start Assist System (HAS)	1	/	1	/	/	1	Drivers Seat – 6 way Manual adjustment		
Roll Movement Intervention (RMI)	1	/	/	1	/	1	Passengers Seat – 4 way Manual adjustment		
Traction Control System (TCS)	1	1	1	1	/	1	Front Row Seats – 6 way Electronic adjustment		
Vehicle Dynamics Control (VDC)	/	/	1	1	/	1	with Heating Cloth Seats		
Rear On Demand							Leather Trimmed Seats ⁶		
Differential Lock ⁵	-	-	1	1	1	√	Audia and Cammunia		
Engine Immobiliser	1	✓	/	1	1	✓	Audio and Communica		
Fog Lights	1	√	1	1	1	√	6 Speakers		
Keyless Entry and Start	-	-	/	1	/	√	10 Inch Touch Screen Entertainment System		
Remote Control Locking	/	✓	-	-	-	-	AM/FM Stereo Radio,		
Lockable Glove Box	/	✓	/	/	/	✓	Bluetooth and MP3		
Rear Parking Sensors Reversing Camera	1	<i>\</i>	1	1	1	<i>\</i>	Smart Phone Integration with Apple CarPlay™ and		
Tyre Pressure Monitoring	1	/	/	/	/	/	Android – interconnected USB Ports (2)		
System (TPMS)	-								
Exterior							5 year/130,000km		
Side Mirrors – Heated and Auto Folding	-	-	1	1	1	1	(whichever occurs first) Warranty		
Side Mirrors – Heated	1	✓	_	-	-	_	5 year/130,000km		
Door handle – Body Colour	1	1	_	_	-	-	(whichever occurs first) Roadside Assist		
Door handle – Chrome	-	-	1	1	1	✓	2. Fuel consumption figure		
Tub Rim Anchor Points (2)	✓	1	1	1	1	✓	testing. Factors includin conditions, environment		
Tub Cargo Tie Down Hooks (4)	1	1	1	1	1	1	will in practice in the real advertised. Advertised fig		
Door Mirrors – Body colour	1	1	-	-	_	-	3. Payload and kerb weigh		
Door Mirrors – Chrome	-	_	1	1	1	1	and rear axle load limits the fully loaded vehicle		
Mudflaps – Front and Rear	1	/	1	1	1	1	does not exceed the GCN Payload is the combined		
LED Headlights – Auto Dusk Sensing	1	1	1	1	1	1	accessories and tow ba vehicle with a full tank o Additional weights of op		
Roof Rails	1	/	1	1	1	/	and tow ball download		
Rain Sensing Windscreen Wipers	1	/	1	1	1	1	calculating payload and fitted, blind spot monitori 4. Safety technologies may		
Side Steps	1	1	1	1	1	1	and effectiveness depen		
Headboard	/	1	_	-	-	-	attentive driving. See owr 5. Self engages when require		
Sports Bar	-	-	1	1	1	1	6. Leather accented features		
Tub Liner – Polythene Insert	1	1	1	1	1	1	7. Subject to terms and cond All information in this docur		
Comfort and Convenie	ence						may occur from time to tim by law to do so, shall not be		
Steering column – Height adjustable	1	1	1	1	1	1	on anything contained in this		
0 ,									
12V Power Outlet (2)	1	1	1	1	1	1			

LDV T60 UTE 4WD DIESEL	T60	Pro	T60 I	Luxe	T60 Mega Tub		
TRANSMISSION	Manual	Auto	Manual	Auto	Manual	Auto	
Air Conditioning – Climate Control	_	-	\ \	1	1	1	
Cruise Control	1	1	1	1	1	1	
Rear View Mirror – Auto Dimming	-	-	1	1	1	1	
Rear View Mirror – Manual Dimming	1	1	_	-	_	-	
Multifunction Steering Wheel	1	1	-	-	_	-	
Leather Bound Multi- function Steering Wheel ⁶	-	-	\ \	1	1	1	
Seating							
5 Seats	1	1	1	1	1	1	
Drivers Seat – 6 way Manual adjustment	1	1	-	-	_	_	
Passengers Seat – 4 way Manual adjustment	1	1	-	-	_	-	
Front Row Seats – 6 way Electronic adjustment with Heating	-	-	1	1	1	1	
Cloth Seats	1	1	_	-	_	-	
Leather Trimmed Seats ⁶	-	-	1	1	1	1	
Audio and Communica	ation						
6 Speakers	1	1	1	✓	1	1	
10 Inch Touch Screen Entertainment System	1	1	1	1	1	1	
AM/FM Stereo Radio, Bluetooth and MP3	1	1	1	1	1	1	

USB Ports (2) Warranty⁷

5 year/130,000km (whichever occurs first) Warranty	1	1	1	1	1	1
5 year/130,000km (whichever occurs first) Roadside Assist	/	1	/	/	1	1

- 2. Fuel consumption figures according to ADR 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.
- 3. Payload and kerb weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Kerb weight includes the vehicle with a full tank of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and kerb weight. When a genuine tow bar and wiring are fitted, blind spot monitoring will be disabled.
- 4. Safety technologies may not operate optimally under all driving conditions and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. See owner's manual for complete details.
- 5. Self engages when required under 30 km/h.
- 6. Leather accented features and upholstery contain some synthetic materials.
- 7. Subject to terms and conditions on Idvautomotive.com.au

All information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this document.





