

ZEEKR 7X Indulge Every Journey




Elegant Appearance

Hidden Energy Design Philosophy
Blending Aesthetics With Practicality




Exquisite Interior











Every Detail Defined Elegance as a Philosophy of Life

1021mm 1187mm Maximum Headroom Maximum Rear Legroom











36 Flexible Storage
Areas Beyond Your Imagination

Magic Space

Spacious Cabin is Designed for Every Loved One







*The 62L front trunk is calculated based on the water capacity of the RWD version.

Intelligent Cabin

Technology Redefines Luxury to Offer a More Enjoyable Experience























Superior Performance >>

Best-in-Class Performance Unrestricted Travel Across All Scenarios





Front Double Wishbone + Independent Rear Five-link Suspension



ZEEKR Magic Carpet Air Suspension Kit

All data is based on engineering test results and may vary due to conditions such as weather, road surface, battery level, load, and tyre specifications.


The quoted range refers to the ZEEKR 7X with a ternary (NCM) lithium battery pack, and the 0–100 km/h time of 3.8 seconds applies to the AWD Performance variant. Charging data reflects the fastest time achieved using the second-generation Golden Brick battery with a V3 liquid-cooled supercharger at room temperature.

Configurations may vary across different variants — please refer to the specification sheet for details. Final delivered product may differ from the materials shown.





100kWh Qilin Battery with WLTP Range of up to 615km



75kWh 2nd-gen Golden Brick Battery 10% to 80% SoC in 13 Minutes



Akebono Front Four-piston Calipers

720° Safety Castle for All-round Protection in Every Scenario One-piece Die- cast Rear Aluminium Body

Reduction In Body Distortion After Rear Impacts

82 Fewer Parts


About 820

Fewer Welding Points



Ten-grid Battery Protection Apparatus

Withstands Lateral Pole Impacts of up to 75 Tons







"Dome-shaped Armored Body" Safety Structure

83.3% High-strength Steel and Aluminium Alloy

>12m Ultra-high-strength Hot-formed Steel










>>> Dimensions & Colours







Onyx Black



Crystal White



Tech Grey



Forest Green



Blue+Silver Roof¹

Interior



Black



Black and Grey¹



Purple and White²

Wheels



19" Multi-spoke Hub



Forged Hub²

ZEEKR 7X Specification

Configuration	RWD	Long Range RWD	Performance AWD
Specifications			
Length * Width * Height (mm)	4787*1930*1650	4787*1930*1650	4787*1930*1650
Wheelbase (mm)	2900	2900	2900
Minimum Ground Clearance Front/Rear (mm)	173/172	173/172	173/172
Turning circle kerb to kerb (m)	11.6	11.6	11.6
Seating	5	5	5
Performance & Handling			
Battery & Drive unit & Electronic control system			
Full stack 800V high-voltage system	•	•	•
Battery Capacity (kWh)	75	100	100
WLTP EV range target (km)	480*	615*	543*
Battery Type	LFP	NCM	NCM
High-Performance electric drive systems	RWD (Single Motor: Rear SiC PMSM)	RWD (Single Motor: Rear SiC PMSM)	AWD (Dual Motor: Front AMSM + Rear SiC PMSM)
0-100km/h Acceleration Time (s)	~6.0*	~6.0*	~3.8*
Motor peak power (kW)	310	310	475
Motor peak torque (N·m)	440	440	710
Brake energy recovery system	•	•	•
PTM 2.0 thermal management system	•	•	•
"800V DC super charging capability*	(FOLM	(2014)	Value Mariana
(actual DC charging speed based on charging station power)"	450kW	420kW	420kW
AC charger (kW)	22	22	22
3.3kw Vehicle-to-load (V2L)	•	•	•
Chassis System			
Front Suspension: Double Wishbone	•	•	-
Rear Suspension: Multi-link	•	•	-
Continous control damping system (CCD)	-	-	•
Single chamber air suspension system	-	-	•
Wheel & Tyre Size (inches)	19	19	21
Front and Rear lateral stabiliser bars	•	•	•
Road feel optimised hydraulic bushing	•	•	•
Speed-sensitive electronic power steering system	•	•	•
IPB intelligent integrated braking system	•	•	•
Exterior Design & Function			
Lighting & Aesthetics			
LED headlamps	•	•	•
LED Daytime running lights	•	•	•
LED Tail lamp	•	•	•
Running turning tail lamp	•	•	•
RGB dynamic ambient lighting	•	•	•
Exterior Design			
Frameless Door	•	•	•
Hidden door handle	•	•	•
E-latch door (with emergency-release)	•	•	•
Intelligent automatic door package	-	-	•
Power liftgate with opening angle memory	•	•	•
Panoramic glass+Power sunshade	•	•	•
Frameless outside rear view mirror: heat, power adjustment, power fold, memory, reverse auto angle adjustment	•	•	•
Rear privacy glass	-	•	•
Power charging port cover	•	•	•
UWB fob+NFC card	•	•	•
Rain sensor	•	•	•
Interior Design & Function			
Interior Design			
Leather steering wheel	•	•	•
Steering wheel manual adjustment	•	-	-
Steering wheel power adjustment	-	•	•
Steering wheel heat	•	•	•
Shift pattern: steering column mounted shifter	•	•	•
36 Magic storage capabilities	•	•	•

Such Pulsard*	Configuration	RWD	Long Range RWD	Performance AWD
MARPA Multipart (Darlyon Facility or Gallystam Control of Salpatin (Control of Salpatin of Salpatin (Contro	Seat			
NAPPA (Life yout from the sand **)	Soft PU seat*	•	•	_
	NAPPA full-grain top-layer leather seat*	-	-	•
Trust seat heat		Driver 14-way/Passenger 10-way	Driver 14-way/Passenger 14-way	
Froot seal work offices and work offices				
Find to any entrolland any entrolland and entrolland any entrollan			•	
Reser seath of Care		-	•	•
Page 125 Continue		•	•	•
Marie Safe Class Power Sunhards		•	•	•
Mear Sale false Power Sustantus	•	•	•	•
Mary Sulf All Paleonger Read-time Status Manitor Marris & Dual octour Lighting Service Status Manitor Service Status Status Manitor Service Status Status Manitor Service Status Status Manitor Service Manitor		-	-	•
Comparison Com		•	•	•
Paralwa Safety System		•	•	•
Pasalve Safety System				
Integrated dis casted rear end body structure 12-meters 2000/MPa ultra-strength steel 12-meters 2000/MPa ultra-strength several 12-meters 2000/MPa ultra-strength s				
		•	•	•
7. Arbings System ●		•	•	
		•	•	•
2071 RADAS Solution (15 key ADAS functions)		-		-
			•	
Sentry mode . <td< td=""><td></td><td></td><td>•</td><td></td></td<>			•	
ACC-LCC			-	•
Auto lane change			•	•
Autonomous parking assist Most Diver monitoring system			•	•
DMS Driver monitoring system ●				•
Table Tab				•
Intelligent Cabin Interaction Qualcom 8295 intelligent cabin computing platform 13.02 inches high-definition cockpit cluster 13.02 inches high-definition cockpit cluster 13.02 inches 18,5K Mini-LED central Excent 14.00				
Qualcomm 8295 intelligent cabin computing platform ● ● ● 13.02 inches high-definition cockpit cluster ● ● ● 16 inches 536K Mini-LED central screen ● ● ● 3621 inches Heads-up Display ● ● ● 2EEKR Sound 1902 Pspeaker 21.4 saudio system ● ● ● Dual 50w wireless charger ● ● ● Tri-zone HVAC ● ● ● 4-zone voice command ● ● ● 4-zone voice command ● ● ● Obystal White ● ● ● Cystal White ● ● ● Crystal White ● ● ● Crystal White ● ● ● Ereck Green ● ● ● Brook Blue (with silver root)* ● ● ● Block (Blue (with silver root)* ● ● ● Block (Prop ● ● ● Purple+				
13.02 inches high-definition cockpit cluster				
16 inches 3.5K Mini-LED central screen			•	
3621 inches Heads-up Display - - - ZEEKR Sound 10-speaker audio system - - - ZEEKR Sound pro 21-speaker 7.1.4 audio system - - - Dual Sow wireless charger - - - - Dual Sow wireless charger -		•	•	•
ZEEKR Sound 10-speaker audio system -		•	•	•
ZEEKR Sound pro 21-speaker 7.14 audio system - <td></td> <td>-</td> <td>•</td> <td>•</td>		-	•	•
Dual 50w wireless charger ● ● ● Tri-zone HVAC ● ● ● Apple carplay+Android auto ● ● ● 4-zone voice command ● ● ● Costomization Exterior Colour Every Colour ● ● ● Crystal White ● ● ● Crystal White ● ● ● Forest Green ● ● ● Forest Green ● ● ● Forest Green ● ● ● Black ● ● ● Black ● ● ● Black ● ● ● Purple+White ● ● ● Purple+White ● ● ● Wheel ● ● ● Wheel ● ● ●		•	-	-
Tri-zone HVAC ● ● ● Apple carplay+Android auto ● ● ● 4-zone voice command ● ● ● Customization Beterior Colour Beterior Colour Beterior Colour ● ● ● Crystal White 0 0 0 0 0 Tech Grey 0		-		•
Apple carplay+Android auto 4-zone voice command 6		•	•	
4-zone voice command ● ● ● Customization Breaterior Colour ● <td< td=""><td></td><td>•</td><td>•</td><td>•</td></td<>		•	•	•
Customization Exterior Colour ●		•	•	•
Exterior Colour Onyx Black ● ● ● Crystal White O O O Tech Grey O O O Forest Green O O O Brook Blue (with silver roof)* - O O Interior Theme Black ● ● ● Black - Grey - O O Purple+ White - - O Wheel 19 inches multi-spoke wheel hub ● ● -	4-zone voice command	•	•	•
Onyx Black ● <td< td=""><td>Customization</td><td></td><td></td><td></td></td<>	Customization			
Crystal White ○ ○ ○ Tech Grey ○ ○ ○ Forest Green ○ ○ ○ Brook Blue (with silver roof)* - ○ ○ Interior Theme Black ● ● ● Black Grey - ○ ○ Purple+White - - ○ Wheel ● ● - 19 inches multi-spoke wheel hub ● ● -	Exterior Colour			
Tech Grey 0 0 0 Forest Green 0 0 0 Brook Blue (with silver roof)* - 0 0 Interior Theme S ■ ■ ■ Black - 0 0 0 Purple+White - - 0 0 Wheel - - - - - 19 inches multi-spoke wheel hub ■ - - - - -	Onyx Black	•	•	•
Forest Green ○ <	Crystal White	0	0	0
Brook Blue (with silver roof)* - O O Interior Theme S Image: Company of the company of	Tech Grey	0	0	0
Nuterior Theme	Forest Green	0	0	0
Black - 0 0 Black+Grey - 0 0 Purple+White - - 0 Wheel 19 inches multi-spoke wheel hub - - -	Brook Blue (with silver roof)*	-	0	0
Black+Grey - ○ <td< td=""><td>Interior Theme</td><td></td><td></td><td></td></td<>	Interior Theme			
Black+Grey - ○ <td< td=""><td>Black</td><td>•</td><td>•</td><td>•</td></td<>	Black	•	•	•
Purple+White - - 0 Wheel 19 inches multi-spoke wheel hub ● - -	Black+Grey			
Wheel 19 inches multi-spoke wheel hub •	Purple+White			
19 inches multi-spoke wheel hub • -				
			•	
	21 inches forged wheel hub	-		<u> </u>

Note with *:

- 1. " · " denotes standard equipment; "-" denotes absence of the featur; "O" denotes optional equipment (under optional package with additional charge).
- 2. EV range/Acceleration etc. data is based on engineering measurement, which may vary under different testing factors such as site, weather, road conditions, battery level, and payload. It is for reference only.
- 3. DC actual charging speed depends on various factors, e.g. charging station output power, electricity grid workload, ambient temperature etc.; 800V DC charging capability indicates maxium capability.
- 4. Active drive system is only as a driving assistance system. It cannot handle all traffic, weather, and road conditions, and cannot replace the driver's control of the vehicle. The driver must always remain attentive, carefully observe the surrounding conditions, and intervene actively when necessary. Please use the relevant functions cautiously in complex traffic situations, adverse weather, special road conditions, etc.
- 5. Seat material denotes application of major touch surface between seat & passengers.
- 6. Brook blue with silver roof body colour is not available for RWD.
- 7. Zeekr will continuously modify and improve its products, and there may be corresponding changes in vehicle equipment, parameters, and supply chain. We will strive to ensure the completeness and accuracy of information; however, due to factors such as uncertainty in screen or paper material, continuous changes in laws and regulations, different interpretations of information by individuals, and potential delays in information updates, there may be discrepancies between the actual vehicle and the provided information. Please refer to the actual vehicle as the final basis.



ZEEKR 7X



ZEEKR



Register your interest