

LDV is a division of SAIC Motor, which is a Fortune Global 500 company and the 7th largest automotive company in the world¹. SAIC Motor sells over 5 million vehicles annually and has joint ventures with Volkswagen and General Motors. In 2009 SAIC Motor acquired the commercial vehicles division of British Motor Corporation which included LDV.



LDV Deliver 9 Bus – Standard Equipment

Engine

2.0L turbo diesel Euro V engine

Bosch electronically controlled common rail direct fuel injection system

Engine Stop/Start System

Eco and power mode

Turbo charger and intercooler

Aluminum cylinder head

Cast iron block with cylinder wet liners

Polymer skirted pistons

Exhaust Gas Recirculation (EGR)

4 cylinders (16 valves)

83mm x 92mm (bore x stroke)

1996cc total displacement

108kW @ 3500rpm

375Nm @ 1500-2400 rpm

15.9:1 compression ratio

Transmission

6 speed automatic transmission

Fuel

Fuel Tank (Litres): 80

Steering & Handling

Hydraulic power assisted rack and pinion steering

Cotech suspension and steering tuning – Macpherson struts (front)

Taper leaf springs with gas filled shock absorbers (rear)

16" steel wheels with full size spare

235/65R16C tyres

Brakes

Ventilated front disc brakes, 308mm with twin piston calliper

Solid rear disc brakes, 304mm with single piston calliper, rear disc middle drum handbrake

Safety and Security Features¹

Anti Skid Braking System (ABS)

Electronic Stability Control (ESC)

Electronic Brake Force Distribution (EBD)

Brake Assist System (BAS)

Hill Hold Assist (HHA)

Autonomous Emergency Braking (AEB)

Cruise control

Lane Departure Warning (LDW)

Driver and front passenger front, side and curtain airbags

Reverse parking sensors (four)

Remote central locking

Halogen headlights and bulb tail lights

Wide view rear overhead camera

External Features

Power and electric heated side mirror with turn signals

Single passenger's side sliding door

180 degree rear barn doors

Electric retractable side step

Integrated rear step

Fog lights (front and rear)

Interior Features

Air conditioning (front and rear outlets)

Multifunction steering wheel

Power windows (front)

4.2 inch LCD instrument cluster

FM/AM/MP3 Player

8 way adjustable driver's seat with fold down armrest

Fold down front row middle seat back, with cup and laptop holder

3 child seat anchor tether points

Driver and front passenger deep door pockets

Two USB ports

Apple CarPlay™

Bluetooth

10.1 inch touch screen entertainment system

Capped Price Servicing³

Capped Price Servicing³

Warranty⁴

3 year/160,000km5 Warranty

3 year/160,000km5 Roadside Assist

LDV Deliver 9 Bus – Technical Specifications

LDV DELIVER 9



Dimensions	11 SEAT BUS (MID ROOF)	12 OR 14 SEAT BUS (MID ROOF)	12 OR 14 SEAT BUS (HIGH ROOF)
Length – excluding rear camera (mm)	5546	5940	5940
Width – including mirrors (mm)	2466	2466	2466
Height – excluding rear camera (mm)	2545	2525	2740
Wheel base (mm)	3366	3760	3760
Turning circle (m)	13	14.2	14.2
Rear door opening width (mm)	1570	1570	1570
Rear door opening height (mm)	1656	1656	1864
Side door opening width (mm)	1269	1269	1269
Side door opening height (mm)	1570	1570	1570
Gross vehicle mass (kg)	3800	4000	4000
Front axle capacity (kg)	Auto: 1680	Man: 1780 / Auto: 1800	Man: 1790 / Auto: 1800
Rear axle capacity (kg)	Auto: 2120	Man: 2220 / Auto: 2200	Man: 2210 / Auto: 2200
Payload (kg) ²	Auto: 1500	Man: 1670 / Auto: 1640	Man: 1640 / Auto: 1620
Tare weight (kg) ²	Auto: 2240	Man: 2270 / Auto: 2300	Man: 2300 / Auto: 2320
Braked towing capacity (kg)	2800	2800	2800
Unbraked towing capacity (kg)	750	750	750

Paint Colours Available





Pacific Blue

Blanc White

Disclaimers:

- Safety technologies may not operate optimally under all driving conditions and effectiveness depends on many factors. The driver is responsible for safe and attentive driving. See owner's manual for complete details.
- 2. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with a full tank of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar and wiring are fitted, blind spot monitoring will be disabled.
- 3. Terms, conditions and exclusions apply. The Capped Price Servicing Program is available to retail customers and fleet and business customers nominated by LDV Automotive. Rental, government, and motorhome purchases are excluded. For full terms, conditions and exclusions please see Idvautomotive.com.au. LDV Automotive reserves the right to at any time modify or discontinue the Capped Price Servicing program.
- 4. Subject to terms, conditions and exclusions on Idvautomotive.com.au
- 5. Whichever occurs first.

All information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Find your nearest dealer at **Idvautomotive.com.au** to arrange a quote or book a test-drive.

Ateco Automotive Pty Ltd ABN 34 000 486 706

All the information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Ateco Automotive ABN 34 000 486 706 April 2021 / 13025 / LDV0151